



Choose certainty.
Add value.

Technical Report No. 65.190.12.00104.01C

Rev. 00

Dated 2012-01-26

Client: Eastern Sports Industrial Co.,Ltd
RM. 1218,Huatong Building, NO. 2127 East Sungang,
Shenzhen, China

Test subject: Product:CROWD BARRIER
Type:ESI05CB001

Test specification: According to the client's requirements.
Details see Clause 3.

Purpose of examination: Test according to the test specification.

Test result: Details see the test result in Clause 3.

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

1 Description of the test subject

1.1 Function

Manufacturer's specification for intended use,
STAGE

1.2 Technical Data

Dimension (L x W x H): 1250 mm x 1000 mm x 1250 mm
Weight: 28,0 kg

1.3 Product Photos





2 Order

2.1 Date of Purchase Order

2012-01-15

2.2 Receipt of Test Sample

2012-01-24


2.3 Date of Testing

From 2012-01-24 to 2012-01-26

2.4 Points of Non-compliance or Exceptions of the Test Procedure

NA

3 Test Results

Verdict: P = passed; F = failed; NA = not applicable.			
Clause	Requirement Test	Remark	Verdict
1	<p>Loading test</p> <p>A test vertical load F_2 of 5000N shall be distributed uniformly applied to the whole surface of the platform, then applied a horizontal force F_1 of 2000N to the stage tested according to Figure 1.</p> <p>After removal of the test load, the barrier shall not show any visible damages such as cracks, indentations etc.</p> <div style="text-align: center;">  </div> <p>Figure 1</p>	No visible damage was found after test.	P

TÜV Product Service Ltd. Guangzhou Branch
TÜV SÜD Group



Engineer:

Calvin Yang

Calvin Yang

Technical Report Checked:

Filippo Wei

Filippo Wei